



BeeTel 340i –

cordless ISDN-DECT-telephone with data-capability in high-end-handset Speech- & data in one

Features

- Integrated ISDN-card functionality in base station
- Headset- and data interface in the handset
- Data interface (V.24) in the base station
- Data transfer between handset and base station via DECT*
- Simultaneous speech- and data communication (with 2 b-channels)
- Illuminated LCD-display, 5 rows
- Telephone book with numbers & names, 100 entries for each handset
- Call signalling acoustic (ringer), optical (LED-flash earpiece) or loudless (vibrator), 30 optional ringer tunes settable
- Call filter for 10 entries
- Call-list with time/date, 30 entries
- Call-back from the call-list, storage of the number from the call-list into the telephone book
- 20 storage slots for redialling
- Toggling of callsto other handsets
- Multilink: 10 handsets connectable with each base station
- Simultaneously 1 external and 2 internal call possible, tariff-free internal calls
- Tariff administration per number / total
- Multibase: handset can be registrated onto 10 base stations
- Time via ISDN (precise time via network), Alarm

* accessories necessary

- ISDN-features operational from the handset
 - e.g.: linked MSN-allocation (handset)
 - 3-party conference
 - Displaying of incoming caller telephone No. (CLIP)
 - Message waiting indication (MWI), e.g. T-Box-Info, e-mail

Technical data

- Standards: Cordless: DECT / GAP / IAP/DSP C.2
Network: Euro-ISDN, DSS1
- Display: 5 rows/ graphic
- Talk time: up to 10 hrs
- Standby-time: bis zu 130 hrs
- Weight handset: 139 g
- Measurements: 145 x 52 x 25 mm
- Batteries: 2 AAA-batteries (NiMH)
- Working range outdoors/
indoors: up to 300m / up to 50m
- Connection interfaces
to the base station: RJ 45 for ISDN-connection cable
RJ 11 for AC-mains adapter
RJ 11 for PC-connection
- Colour: black-blue / silver-metallic

Delivery options

- Basic Set : Base station with 1 handset, user-software, data cable
- Accessories (optional): handset, charger, RCI-module (approx. IV. Q. 2000)

(Subjected to technical changes without prior notice)

